

GCE Examinations
Advanced Subsidiary / Advanced Level

Decision Mathematics
Module D2

Paper A

MARKING GUIDE

This guide is intended to be as helpful as possible to teachers by providing concise solutions and indicating how marks should be awarded. There are obviously alternative methods that would also gain full marks.

Method marks (M) are awarded for knowing and using a method.

Accuracy marks (A) can only be awarded when a correct method has been used.

(B) marks are independent of method marks.



Written by Craig Hunter, Edited by Shaun Armstrong

© *Solomon Press*

These sheets may be copied for use solely by the purchaser's institute.

D2 Paper A – Marking Guide

1.

		<i>B</i>			row minimum
		I	II	III	
<i>A</i>	I	-3	4	0	-3
	II	2	2	1	1
	III	3	-2	-1	-2
column maximum		3	4	1	

M1 A1

max (row min) = min (col max) = 1 ∴ saddle point

M1

∴ *A* should play II all the time, *B* should play III all the time

M1 A1 **(5)**

2. (a) x_{11} – number of crates from *A* to *D*
 x_{12} – number of crates from *A* to *E*
 x_{13} – number of crates from *A* to *F*
 x_{21} – number of crates from *B* to *D*
 x_{22} – number of crates from *B* to *E*
 x_{23} – number of crates from *B* to *F*
 x_{31} – number of crates from *C* to *D*
 x_{32} – number of crates from *C* to *E*
 x_{33} – number of crates from *C* to *F*

B1

(b) minimise

$$z = 19x_{11} + 22x_{12} + 13x_{13} + 18x_{21} + 14x_{22} + 26x_{23} + 27x_{31} + 16x_{32} + 19x_{33}$$

B2

- (c) $x_{11} + x_{12} + x_{13} = 42$ number of crates at *A*
 $x_{21} + x_{22} + x_{23} = 26$ number of crates at *B*
 $x_{31} + x_{32} + x_{33} = 32$ number of crates at *C*
 $x_{11} + x_{21} + x_{31} = 29$ number of crates required by *D*
 $x_{12} + x_{22} + x_{32} = 47$ number of crates required by *E*
 $x_{13} + x_{23} + x_{33} = 24$ number of crates required by *F*
 $x_{ij} \geq 0$ for all i, j
 reference to balance

M1 A1

B1 **(6)**

3.

Stage	State	Destination	Cost	Total cost
1	Marquee	Deluxe	20	20*
		Cuisine	24	24
	Castle	Deluxe	21	21
		Castle	15	15*
		Cuisine	22	22
	Hotel	Deluxe	18	18*
Cuisine		23	23	
Hotel		19	19	
2	Church	Marquee	2	$2 + 20 = 22$
		Castle	5.5	$5.5 + 15 = 20.5^*$
		Hotel	3	$3 + 18 = 21$
	Castle	Marquee	3	$3 + 20 = 23$
		Castle	5	$5 + 15 = 20^*$
	Registry Office	Marquee	3.5	$3.5 + 20 = 23.5$
		Castle	6	$6 + 15 = 21$
		Hotel	2	$2 + 18 = 20^*$
	3	Home	Castle	3
Church			5	$5 + 20 = 25$
Registry			1	$1 + 20 = 21^*$

M1 A1

M1 A2

A1

minimum cost with
 ceremony – Registry Office
 reception – Hotel
 catering – Deluxe

M1 A1

cost = £2100

A1 (9)

4. (i)

order: 1 4 8 2 3 6 5 7

	A	B	C	D	E	F	G	H
A	–	85	59	31	47	52	74	41
B	85	–	104	73	51	68	43	55
C	59	104	–	54	62	88	61	45
D	31	73	54	–	40	59	65	78
E	47	51	62	40	–	56	71	68
F	52	68	88	59	56	–	53	49
G	74	43	61	65	71	53	–	63
H	41	55	45	78	68	49	63	–

M1 A2

tour: ADEBGFHCA

upper bound = $31 + 40 + 51 + 43 + 53 + 49 + 45 + 59 = 371$ km

A1

(ii) e.g. beginning at A

order: 1 4 7 2 3 6 5

	A	B	C	D	E	F	G	H
A	–	85	59	31	47	52	74	41
B	85	–	104	73	51	68	43	55
C	59	104	–	54	62	88	61	45
D	31	73	54	–	40	59	65	78
E	47	51	62	40	–	56	71	68
F	52	68	88	59	56	–	53	49
G	74	43	61	65	71	53	–	63
H	41	55	45	78	68	49	63	–

M1 A2

weight of MST = $31 + 40 + 51 + 43 + 52 + 54 = 271$

A1

lower bound = weight of MST + two edges of least weight from H
 = $271 + 41 + 45 = 357$ km

M1 A1

$\therefore 357 \leq d \leq 371$

A1 (11)

5. (a) let X play strategies X_1 and X_2 with proportions p and $(1 - p)$
 expected payoff to X against each of Y 's strategies:


$$Y_1 \quad 10p - 4(1 - p) = 14p - 4$$

$$Y_2 \quad 4p - (1 - p) = 5p - 1$$

$$Y_3 \quad 3p + 9(1 - p) = 9 - 6p$$

M1 A1

giving



B2

it is not worth player Y considering strategy Y_1

B1

for optimal strategy $5p - 1 = 9 - 6p$

$$\therefore 11p = 10, \quad p = \frac{10}{11}$$

$\therefore X$ should play X_1 $\frac{10}{11}$ of time and X_2 $\frac{1}{11}$ of time

M1 A1

- (b) let Y play strategies Y_2 and Y_3 with proportions q and $(1 - q)$
 expected loss to Y against each of X 's strategies:

$$X_1 \quad 4q + 3(1 - q) = q + 3$$

$$X_2 \quad -q + 9(1 - q) = 9 - 10q$$

M1 A1

for optimal strategy $q + 3 = 9 - 10q$

$$\therefore 11q = 6, \quad q = \frac{6}{11}$$

$\therefore Y$ should not play Y_1 , should play Y_2 $\frac{6}{11}$ of time and Y_3 $\frac{5}{11}$ of time

M1 A1

- (c) value = $(5 \times \frac{10}{11}) - 1 = 3 \frac{6}{11}$

M1 A1 (13)

6. need to maximise so subtract all values from 55 giving

M1

				row min.	
18	26	11	4	4	
10	25	12	14	10	
23	28	16	5	5	
12	30	4	0	0	

reducing rows gives:

14	22	7	0
0	15	2	4
18	23	11	0
12	30	4	0

M1 A1

col min. 0 15 2 0

reducing columns gives:

14	7	5	0
0	0	0	4
18	8	9	0
12	15	2	0

M1 A1

2 lines required to cover all zeros, apply algorithm

B1

12	5	3	0
0	0	0	6
16	6	7	0
10	13	0	0

(N.B. a different choice of lines will lead to the same final assignment)

M1 A1

3 lines required to cover all zeros, apply algorithm

7	0*	3	0
0*	0	5	11
11	1	7	0*
5	8	0*	0

M1 A1

4 lines required to cover all zeros so allocation is possible

B1

- R_1 goes to A_2
- R_2 goes to A_1
- R_3 goes to A_4
- R_4 goes to A_3

M1 A1 (13)

7. (a)

	W_A	W_B	W_C	Available
W_1	5	5		10
W_2		7	1	8
W_3			7	7
Required	5	12	8	

M1 A1

(b) taking $R_1 = 0$, $R_1 + K_1 = 7 \therefore K_1 = 7$ $R_1 + K_2 = 8 \therefore K_2 = 8$
 $R_2 + K_2 = 6 \therefore R_2 = -2$ $R_2 + K_3 = 5 \therefore K_3 = 7$
 $R_3 + K_3 = 7 \therefore R_3 = 0$

M1 A2

	$K_1 = 7$	$K_2 = 8$	$K_3 = 7$
$R_1 = 0$	0	0	10
$R_2 = -2$	9	0	0
$R_3 = 0$	11	5	0

improvement indices, $I_{ij} = C_{ij} - R_i - K_j$

$$\begin{aligned} \therefore I_{13} &= 10 - 0 - 7 = 3 \\ I_{21} &= 9 - (-2) - 7 = 4 \\ I_{31} &= 11 - 0 - 7 = 4 \\ I_{32} &= 5 - 0 - 8 = -3 \end{aligned}$$

M1 A1

(c) applying algorithm let $\theta = 7$, giving

	W_A	W_B	W_C
W_1	5	5	
W_2		$7 - \theta$	$1 + \theta$
W_3		θ	$7 - \theta$

	W_A	W_B	W_C
W_1	5	5	
W_2			8
W_3		7	

M1 A1

no. of rows + no. of cols - 1 = 3 + 3 - 1 = 5

in this solution only 4 cells are occupied, less than 5 \therefore degenerate

B1

(d) placing 0 in (2, 2) so it is occupied

taking $R_1 = 0$, $R_1 + K_1 = 7 \therefore K_1 = 7$ $R_1 + K_2 = 8 \therefore K_2 = 8$
 $R_2 + K_2 = 6 \therefore R_2 = -2$ $R_2 + K_3 = 5 \therefore K_3 = 7$
 $R_3 + K_2 = 5 \therefore R_3 = -3$

M1 A1

	$K_1 = 7$	$K_2 = 8$	$K_3 = 7$
$R_1 = 0$	0	0	10
$R_2 = -2$	9	0	0
$R_3 = -3$	11	0	7

$$\begin{aligned} \therefore I_{13} &= 10 - 0 - 7 = 3 \\ I_{21} &= 9 - (-2) - 7 = 4 \\ I_{31} &= 11 - (-3) - 7 = 7 \\ I_{33} &= 7 - (-3) - 7 = 3 \end{aligned}$$

M1 A1

all improvement indices are non-negative \therefore pattern is optimal

B1

5 lorries from W_1 to W_A , 5 lorries from W_1 to W_B ,

8 lorries from W_2 to W_C , 7 lorries from W_3 to W_B

A1

(e) total cost = $10 \times [(5 \times 7) + (5 \times 8) + (8 \times 5) + (7 \times 5)] = \text{£}1500$

M1 A1 (18)

Total (75)

